

# Product Data Sheet

## MaxiCut® Oil™ 44-304

<b>Colour – Coating</b>	Black
<b>Colour – Liner</b>	Green
<b>Design</b>	Palm coated
<b>Coating</b>	NBR (Nitrile Butadiene Rubber)
<b>Coating texture</b>	Micro-Foam with Non-Slip Grip
<b>Liner</b>	UHMWPE-Glass-Nylon, Polyester, Spandex
<b>Patent number</b>	EP 1 608 808
<b>Palm thickness</b>	1.10 mm



### Dimensions

Size Range	Size 6 (XS)	Size 7 (S)	Size 8 (M)	Size 9 (L)	Size 10 (XL)	Size 11 (XXL)
Total glove length (+/-10 mm)	205	215	225	235	240	245
Wrist length (mm)	66	68	74	76	78	78
Wrist width (mm)	72	76	80	84	86	88
Palm width (+/-3 mm)	92	97	102	105	109	112
Over lock colour	Blue	Purple	Orange	White	Yellow	Black

### EN test Results

Test	Notified Body	Result/Pass
EN 420: 2003 + A1: 2009	TÜV Rheinland	Yes
EN 388: 2016	TÜV Rheinland	4341B
EN 407: 2004	TÜV Rheinland	X1XXXX

If a glove due to its design and construction falls outside the scope of EN 420 in terms of hand size dimensions then this glove is classified as "fit for special purpose".



# Product Data Sheet

## MaxiCut® Oil™ 44-304

### Typical Performance Values

EN 420 Dexterity	Level 5
EN 388:2016 A. Abrasion Resistance	> 8000 Cycles
EN 388:2016 B. Cut Resistance	> 5.0 index
EN 388:2016 C. Tear Resistance	> 75 newtons
EN 388:2016 D. Puncture Resistance	> 20 newtons
EN 388:2016 E. Cut Resistance ISO	≥ 5 Newton

### HandCare®

Skin Health Alliance Dermatologically Accredited	Yes
REACH compliant	Yes
Oeko-Tex® 100	Certified
Sanitized®	Yes



### Special features

Silicone free	Yes
---------------	-----

### Packaging

Pairs per poly bag	12
Poly bags per carton	6
Carton count	72
Carton dimensions (mm)	500 x 295 x 200



# Product Data Sheet

## MaxiCut® Oil™ 44-304

### Weight

Size Range	Size 6 (XS)	Size 7 (S)	Size 8 (M)	Size 9 (L)	Size 10 (XL)	Size 11 (XXL)
Glove weight / Pair (+/-6 gram)	56	60	66	70	70	80
Gross Weight (Kg)	5	5.3	5.8	6	6.3	6.8
Carton Weight (Kg)	1	1	1	1	1	1
Net Weight (Kg)	4	4.3	4.8	5	5.3	5.8

Issue date: 08.07.2019

