

Product Data Sheet

MaxiTherm® 30-202

Colour – Coating	Grey
Colour – Liner	Orange
Design	3/4 coated knitwrist
Coating	NRL (Natural Rubber Latex)
Coating texture	Micro-Foam with Non-Slip Grip
Liner	Acrylic, Polyester
Palm thickness	2.50 mm



Dimensions

Size Range	Size 6 (XS)	Size 7 (S)	Size 8 (M)	Size 9 (L)	Size 10 (XL)	Size 11 (XXL)
Total glove length (+/-10 mm)	220	235	245	260	260	270
Wrist length (mm)	70	85	85	90	95	100
Wrist width (mm)	70	75	80	85	90	90
Palm width (+/-3 mm)	100	106	115	120	125	127
Over lock colour	Blue	Red	Orange	White	Yellow	Black

EN test Results

Test	Notified Body	Result/Pass
EN 420: 2003 + A1: 2009	TÜV Rheinland	Yes
EN 388: 2016	TÜV Rheinland	1241B
EN 407: 2004	TÜV Rheinland	X2XXXX
EN 511: 2006	TÜV Rheinland	X1X

If a glove due to its design and construction falls outside the scope of EN 420 in terms of hand size dimensions then this glove is classified as "fit for special purpose".



Product Data Sheet

MaxiTherm® 30-202

Typical Performance Values

EN 388:2016 A. Abrasion Resistance	> 100 Cycles
EN 388:2016 B. Cut Resistance	> 2.5 index
EN 388:2016 C. Tear Resistance	> 75 newtons
EN 388:2016 D. Puncture Resistance	> 20 newtons
EN 388:2016 E. Cut Resistance ISO	≥ 5 Newton

HandCare®

Skin Health Alliance Dermatologically Accredited	Yes
REACH compliant	Yes
Oeko-Tex® 100	Certified
Sanitized®	Yes



Special features

Silicone free	No
---------------	----

Packaging

Pairs per poly bag	12
Poly bags per carton	6
Carton count	72
Carton dimensions (mm)	500 x 295 x 270



Product Data Sheet

MaxiTherm® 30-202

Weight

Size Range	Size 6 (XS)	Size 7 (S)	Size 8 (M)	Size 9 (L)	Size 10 (XL)	Size 11 (XXL)
Glove weight / Pair (+/-6 gram)	96	110	116	148	160	170
Gross Weight (Kg)	8	8.3	9	9.6	10.2	10.8
Carton Weight (Kg)	1	1	1	1	1	1
Net Weight (Kg)	7	7.3	8	8.6	9.2	9.8

Issue date: 29.03.2019

